DEVELOPING AN INTEGRATED CATCHMENT MANAGEMENT THROUGH WATER QUALITY ASSESSMENT, LANDUSE CHANGES ANALYSIS, SOIL EROSION STUDY & COMMUNITY ENGAGEMENT IN BERTAM RIVER CATCHMENT, CAMERON HIGHLANDS, MALAYSIA

MD. GOLAM RASUL

Doctor of Philosophy

(ENVIRONMENTAL MANAGEMENT)

UNIVERSITI MALAYSIA PAHANG

SUPERVISOR'S DECLARATION

We hereby declare that we have checked this thesis and in my opinion, this thesis is adequate in terms of scope and quality for the award of the degree of Doctor of Philosophy in Environmental Management

_____

(Supervisor's Signature)

Full Name : Dr. Mir Sujaul Islam

Position : Senior Lecturer

Date :

_____

(Co-supervisor's Signature)

Full Name : Professor Dato' Ts. Dr. Rosli Bin Mohd Yunus

Position : Professor

Date :

STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

_____

(Student's Signature)

Full Name : MD. GOLAM RASUL
ID Number : PAC 13001
Date :

DEVELOPING AN INTEGRATED CATCHMENT MANAGEMENT THROUGH WATER QUALITY ASSESSMENT, LANDUSE CHANGES ANALYSIS, SOIL EROSION STUDY & COMMUNITY ENGAGEMENT IN BERTAM RIVER CATCHMENT, CAMERON HIGHLANDS, MALAYSIA

MD. GOLAM RASUL

Thesis submitted in fulfillment of the requirements
for the award of the degree of
Doctor of Philosophy (Environmental Management)

Faculty of Civil Engineering & Earth Resources

UNIVERSITI MALAYSIA PAHANG

JULY 2018

ACKNOWLEDGEMENTS

All praise upon Allah s.w.t, the Almighty and Merciful, for His will this dissertation be successfully completed. I am grateful and would like to express my sincere gratitude to my supervisor Dr. Mir Sujaul Islam, Senior Lecturer, Faculty of Civil Engineering and Earth Resource, UMP for his germinal ideas, invaluable guidance, continuous encouragement and constant support in making this research possible. I appreciate his consistent support from the first day I applied to graduate program till these concluding moments. I would like to extend my gratitude to Professor Dato' Dr. Mazlin Bin Mokhtar, Professor and Principal Fellow, Institute for Environment and Development (LESTARI), Universiti Kebangsaan Malaysia (UKM) and Dato' Dr. Rosli Bin Mohd Yunus, Professor, Faculty of Chemical Engineering and Natural Resources, UMP as my co-supervisors for their crucial advices and valuable suggestions and motivations in the entire research period.

I would like to thank Mrs Norazimah Binti Abdul Aziz and Quari, penolong pegawal latihan vokasional, Makmal Alam Sekitar, FKASA for their co-operation and help during sampling and laboratory work. I would also like to thank to all of my community members and my friends who helped me, support me, guided me with their positive thoughts, suggestions and advices.

During the study, my family members totally missed me. I would like to express my gratitude and obeisance to my father who always pray for me to complete the degree successfully. My heartiest thanks and endearment goes to my wife Mrs Soheli Golam, who managed everything of my family in my absence. My affections and caress to my dearest daughter Anika Raisa and my lovely son Shabab Rasul, who missed me for a long time and sacrifices their lots of dearest moments.

Thanks and gratitude goes to the IPS UMP for sanctioning GRS in favour of me; without which my study could not be precede. Finally, I would like to express my gratitude to the Chairman, BAEC and Secretary, MOST for approving the permission to obtain the degree in abroad.

ABSTRAK

Perkembangan yang pesat di dalam pembinaan dan aktiviti agro-pelancongan telah mengancam kualiti air Sungai Bertam, Cameron Highlands (BRCC), Malaysia sepanjang dua dekad yang lalu. Senario ini telah menarik perhatian penyelidik untuk menyiasat hubungan di antara pengendalian tanah terhadap kualiti air bagi tujuan pemeliharaan SBC. Penilaian saintifik telah dijalankan bagi menentukan variasi kualiti air, mengkaji perubahan penggunaan tanah dan kesannya terhadap kualiti air serta menganggarkan pengagihan ruang hakisan tanah di bawah pengendalian tanah yang berlainan. Bagi menjalankan siasatan ini, sampel air telah dikumpulkan sebanyak enam kali dari Januari 2014 sehingga Februari 2015 daripada dua belas stesen yang dipilih. Sebanyak empat belas parameter kualiti air telah dianalisis. Peta guna tanah empat siri (1984, 1997, 2004 dan 2010) telah digunakan bagi menganalisis perubahan pola tanah dengan menggunakan teknik pengesanan perubahan melalui pendekatan GIS. Model persamaan umum kehilangan tanah (RUSLE) telah diguna pakai bagi menganggarkan kadar hakisan tanah. Kajian terhadap komuniti juga dijalankan melalui soalan kaji selidik yang telah dirangka dengan teliti. Hasil penilaian kualiti air menunjukkan terdapat perbezaan temporal dan spatial yang ketara (p <0.05) di dalam kebanyakan parameter kualiti air yang diperolehi. Kepekatan purata pepejal terampai, kekeruhan, keperluan oksigen biokimia serta tahap amonik-nitrogen dan fosfat-fosforus didapati melebihi Indeks Kualiti Air Negara (NWQS) Malaysia. Nutrien, bahan organik, dan hakisan tanah diklasifikasikan sebagai sumber pencemaran utama. Menurut DOE-WQI, status keseluruhan kualiti air SBC diklasifikasikan sebagai "Sedikit Tercemar" dan di bawah kategori kelas III. Kajian kepenggunaan tanah mendedahkan bahawa perubahan penggunaan tanah disebabkan perkembangan kawasan pertanian (16.37 km^2) dan pembangunan perbandaran (4.15 km^2) berkait rapat dengan kemerosotan kualiti air SBC. Perubahan yang ketara di dalam aktiviti pertanian dapat diperhatikan di sepanjang cerun yang lebih tinggi (>20^o). Manakala penggunaan tanah bagi aktiviti perhutanan (22.85 km^2) menjadikan kualiti air SBC lebih baik. Hasil penilaian hakisan tanah menunjukkan kadar purata tahunan hakisan tanah adalah sebanyak 123.23 tan/ha/tahun. Secara khususnya, kadar purata sub-tadahan atas, tengah dan bawah adalah sebanyak 27.60, 31.80 and 63.83 tan/ ha/ tahun. Kegiatan pertanian merupakan penyumbang utama kepada hakisan tanah yang lebih tinggi di sub-tadahan yang berbeza. Topografi lembangan juga memainkan peranan penting dalam mengawal pergerakan tanah. Hasil kaji-selidik terhadap komuniti menunjukkan bahawa rakyat mempunyai pengetahuan dan persepsi yang baik tentang kawasan persekitaran sungai dan tadahan. Oleh itu, dapat disimpulkan bahawa penemuan saintifik dan pemerhatian komuniti amat berkait rapat. Satu model bersepadu diwujudkan bagi pengurusan pemeliharaan BRCC agar pihak berkuasa dapat menyediakan maklumat saintifik melalui internet serta menganjurkan bengkel bagi mewujudkan kesedaran di kalangan masyarakat. Pendekatan ini boleh menjadi salah satu inisiatif inovatif ke arah pembangunan pengurusan lembangan yang mapan.

ABSTRACT

The rapid boost in construction and agro-tourism activities has significantly threatened the water quality within Bertam River Catchment, Cameron Highlands (BRCC) in Malaysia during the last two decades. The scenario has drawn the attention to investigate the relationship between land use and water quality for the sustainable development of BRCC. Hence, the current research aims at developing an effective model for the sustainable management of BRCC using integrated assessment of scientific findings with quantitative social information. Scientific assessment was carried out to determine the spatio-temporal variations of water quality, to assess the landuse changes and their impacts on water quality, as well as to estimate the spatial distribution of soil erosion under different landuses. To investigate water quality, samples were collected six times from January 2014 to February 2015 from twelve preselected stations. A total of fourteen water quality parameters were analyzed. For landuse study, four-time series landuse maps (1984, 1997, 2004 and 2010) were used to analyze the land pattern changes by change detection technique using GIS approach. The revised universal soil loss equation (RUSLE) model was applied to estimate the soil erosion rate. A community based survey was also conducted using a well-structured questionnaire. The results of water quality assessment showed significant temporal and spatial differences (p<0.05) in most of the water quality parameters across the catchment. The average concentrations of total suspended solids, turbidity, biochemical oxygen demand, ammonical-nitrogen, and phosphate-phosphorous exceeded the Malaysian National Water Quality Standards (NWQS) level for IIB. Nutrients, organic matter, and suspended sediments were determined as the major pollutants. The overall water quality status of the BRCC is classified as "Slightly Polluted" and falls under class III category according to the DOE-WQI. The landuse study revealed that landuse changes were mainly characterized by the expansion of agricultural (16.37km^2) and urban (4.15 km^2) land types, reducing the forest (22.85 km^2). A noticeable change in the agricultural activities was observed along the higher slope ranges (>20^o) with the passage of time. The urban and agricultural landuses are mainly related to water quality deterioration, where the forest is associated with better water quality within BRCC. The results of soil erosion assessment indicated that the annual average soil loss rate of the catchment was predicted to be 123.23 ton/ ha/ year. Individually, the average rate for Upper, Middle and Lower sub-catchment was 27.60, 31.80 and 63.83 ton/ ha/ year respectively. Agricultural activities were the main contributor to higher soil erosion in different sub-catchments. The topography of the catchment also played a major role in controlling soil movement. Community-based survey findings showed that the people have good knowledge and perception of the catchment environment. Therefore, significant associations were observed between the scientific findings and communities' observations. Considering all the social and scientific findings, the proposed integrated model for BRCC management suggest that the authorities should provide the scientific information through internet and organizing workshops to motivate and create awareness. Similarly, whenever they take any initiative for management program within BRCC considering the scientific findings, they should focus more on the aged, higher educated and older residents for their higher level of awareness and positive willingness for participation. Overall, the findings of this study suggest that the effective implementation of socio-scientific integrated approach by the authorities can be an innovative initiative towards the development of sustainable catchment management.

TABLE OF CONTENT

LIST OF TABLES

LIST OF FIGURES

LIST OF SYMBOLS

%	Percentage
°C	Degree Centigrade
As	Arsenic
C	Cover Management
Cd	Cadmium
Cr	Chromium
ENE	East-North-East
ha	Hectare
Hg	Mercury
K	Soil Erodibility Factor
Km	Kilometer
L	Length
log	Logit
m	Meter
m/s	Meter/second
mg/L	Miligram/Liter
MJ	Megajoule
mm	Millimeter
NS	North-South
N-W	North-West
P	Conservation Factor
Q1	First quartile
Q3	Third quartile
R	Rainfall Erosivity Index
RM	Ringgit
S	Slope
t	Ton
TB	Tributaries
TCr	Total Chromium
yr	Year
Zn	Zinc

LIST OF ABBREVIATIONS

AN	Ammonical Nitrogen
ANN	Artificial Neural Network
ANOVA	Analysis of variance
APHA	American Public Health Association
BOD	Biochemical oxygen demand
CA	Cluster Analysis
CCA	Canonical Correspondence Analysis
COD	Chemical oxygen demand
DA	Discriminant Analysis
DEM	Digital Elevation Model
DID	Department of Irrigation and Drainage
DO	Dissolved oxygen
DOA	Department of Agriculture
DOE	Department of Environment
EQA	Environmental Quality Act
FA	Factor Analysis
GCS	Geographic Coordinate System
GIS	Geographical Information System
GLM	General Linear Model
HCA	Hierarchical Cluster Analysis
ICM	Integrated Catchment Management
IDW	Inverse Distance Weighted
KAP	Knowledge, Attitude, and Practices
KMO	Kaiser–Meyer–Olkin
LB	Lower Bertam
MJmm/ha/hr	Megajoule.milimeter/hectare-hour
MLD	Million Liters per Day
MOH	Ministry of Health
MSL	Mean Sea Level
NH_3-N	Ammonia nitrogen
NO_3-N	Nitrate nitrogen

NWQS	National Water Quality Standards
PCA	Principal Component Analysis
PO_4-P	Phosphorus phosphate
RMSE	Root Mean Square Error
RUSLE	Revised Universal Soil Loss Equation
SI	Sub-Index
SPSS	Statistical Package for the Social Sciences
SWAT	Soil and Water Assessment Tool
TDS	Total Dissolved Solids
TN	Total Nitrogen
TP	Total Phosphorus
TSS	Total Suspended Solids
UB	Upper Bertam
USLE	Universal Soil Loss Equation
UTM	Universal Transverse Mercator
WGS	World Geodetic System WGS84
WHO	World Health Organization
WQI	Water Quality Index
WQV	Water Quality Variable
WWAP	United Nations World Water Assessment Program

REFERENCES

Ab d Manap, M., Ramli, M. F., Wan, N., & Surip, N. (2010). Application of remote sensing in the identification of the geological terrain features in Cameron Highlands, Malaysia. *Sains Malaysiana, 39*(1), 1-11.

Abdullah, P., Abdullah, S. M. S., Jaafar, O., Mahmud, M., & Khalik, W. M. A. W. M. (2015). Characterization of spatial and temporal variability in hydrochemistry of Johor Straits, Malaysia. *Marine Pollution Bulletin, 101*(1), 378-385.

Abdullah, W. W., Aminuddin, B., Salama, R., Cheah, U., Jamaluddin, J., & Osman, G. (2001). *Site descriptions and project field activities in the Cameron Highlands.* Paper presented at the ACIAR PROCEEDINGS.

Abdullah, W. W., Aminuddin, B., & Zulkifli, M. (2005). Modelling pesticide and nutrient transport in the Cameron Highlands, Malaysia agro-ecosystems. *Water, Air, & Soil Pollution: Focus, 5*(1-2), 115-123.

Abildtrup, J., Garcia, S., & Stenger, A. (2013). The effect of forest land use on the cost of drinking water supply: A spatial econometric analysis. *Ecological Economics, 92*, 126-136.

Afroz, R., & Rahman, A. (2017). Health impact of river water pollution in Malaysia. *International Journal of Advanced and Applied Sciences, 4*(5), 78-85.

Ai, L., Shi, Z., Yin, W., & Huang, X. (2015). Spatial and seasonal patterns in stream water contamination across mountainous watersheds: linkage with landscape characteristics. *Journal of Hydrology, 523*, 398-408.

Aiello, A., Adamo, M., & Canora, F. (2015). Remote sensing and GIS to assess soil erosion with RUSLE3D and USPED at river basin scale in southern Italy. *Catena, 131*, 174-185.

Ajorlo, M., Abdullah, R. B., Yusoff, M. K., Halim, R. A., Hanif, A. H. M., Willms, W. D., & Ebrahimian, M. (2013). Multivariate statistical techniques for the assessment of seasonal variations in surface water quality of pasture ecosystems. *Environmental Monitoring and Assessment, 185*(10), 8649-8658.

Akan, J. C., Abbagambo, M. T., Chellube, Z. M., & Abdulrahman, F. I. (2012). Assessment of pollutants in water and sediment samples in Lake Chad, Baga, North Eastern Nigeria. *Journal of Environmental Protection, 3*(11), 1428.

Akinbile, C. O., Yusoff, M. S., Talib, S. H. A., Hasan, Z. A., Ismail, W. R., & Sansudin, U. (2013). Qualitative analysis and classification of surface water in Bukit Merah Reservoir in Malaysia. *Water Science and Technology: Water Supply, 13*(4), 1138-1145.

Akter, K. S., Kurisu, K., & Hanaki, K. (2017). Water Use and Pollution Recognition from the Viewpoint of Local Residents in Dhaka, Bangladesh. *Water, 9*(5), 331.

Al-Badaii, F., Shuhaimi-Othman, M., & Gasim, M. B. (2013). Water quality assessment of the Semenyih river, Selangor, Malaysia. *Journal of Chemistry, 2013*.

Al-doski, J., Mansor, S. B., & Shafri, H. Z. M. (2013). Change detection process and techniques. *Civil and Environmental Research, 3*(10).

Al-Mamun, A., & Zainuddin, Z. (2013). Sustainable river water quality management in Malaysia. *IIUM Engineering Journal, 14*(1).

Al-Mutairi, N., Abahussain, A., & El-Battay, A. (2014). Spatial and temporal characterizations of water quality in Kuwait Bay. *Marine Pollution Bulletin, 83*(1), 127-131.

Alberto, W. D., del Pilar, D. a. M. a., Valeria, A. M. a., Fabiana, P. S., Cecilia, H. A., & de los Ángeles, B. M. a. (2001). Pattern Recognition Techniques for the Evaluation of Spatial and Temporal Variations in Water Quality. A Case Study:: Suquía River Basin (Córdoba–Argentina). *Water Research, 35*(12), 2881-2894.

Alexakis, D. D., Hadjimitsis, D. G., & Agapiou, A. (2013). Integrated use of remote sensing, GIS and precipitation data for the assessment of soil erosion rate in the catchment area of "Yialias" in Cyprus. *Atmospheric Research, 131*, 108-124.

Ali, S. A., & Hagos, H. (2016). Estimation of soil erosion using USLE and GIS in Awassa Catchment, Rift valley, Central Ethiopia. *Geoderma Regional, 7*(2), 159-166.

Alkharabsheh, M. M., Alexandridis, T., Bilas, G., Misopolinos, N., & Silleos, N. (2013). Impact of land cover change on soil erosion hazard in northern Jordan using remote sensing and GIS. *Procedia Environmental Sciences, 19*, 912-921.

Allen-Ankins, S., Stoffels, R., Pridmore, P., & Vogel, M. (2012). The effects of turbidity, prey density and environmental complexity on the feeding of juvenile Murray cod Maccullochella peelii. *Journal of Fish Biology, 80*(1), 195-206.

Amin, A., Fazal, S., Mujtaba, A., & Singh, S. K. (2014). Effects of land transformation on water quality of Dal Lake, Srinagar, India. *Journal of the Indian Society of Remote Sensing, 42*(1), 119-128.

Aminu, M., Matori, A. N., Yusof, K. W., Malakahmad, A., & Zainol, R. B. (2015). A GIS-based water quality model for sustainable tourism planning of Bertam River in Cameron Highlands, Malaysia. *Environmental Earth Sciences, 73*(10), 6525-6537. doi:10.1007/s12665-014-3873-6

Aminuddin, B., Ghulam, M., Abdullah, W. W., Zulkefli, M., & Salama, R. (2005). Sustainability of current agricultural practices in the Cameron Highlands, Malaysia. *Water, Air, & Soil Pollution: Focus, 5*(1-2), 89-101.

Angyal, Z., Sárközi, E., Gombás, Á., & Kardos, L. (2016). Effects of land use on chemical water quality of three small streams in Budapest. *Open Geosciences, 8*(1), 133-142.

Annalakshmi, G., & Amsath, A. (2012). An assessment of water quality of river cauvery and its tributaries arasalar with reference to physico-chemical paremeters at Tanjore Dt, Tamilnadu, India.

APHA. (2012). Standard Methods for the Examination of Water and Waste Water Analysis, 22nd ed. . *American Public Health Association: Washington, D.C, 22*.

Appelo, C. A. J., & Postma, D. (2004). *Geochemistry, groundwater and pollution*: CRC press.

Ariffin, A. R. M., Ali, Z. M., Zainol, R., Rahman, S., Ang, K. H., & Sabran, N. (2014). *Sustainable highland development through stakeholders' perceptions on agro ecotourism in Cameron Highlands: A preliminary finding.* Paper presented at the SHS Web of Conferences.

Ariffin, M., & Sulaiman, S. N. M. (2015). Regulating sewage pollution of Malaysian rivers and its challenges. *Procedia Environmental Sciences, 30*, 168-173.

Aris, A. Z., Lim, W. Y., Praveena, S. M., Yusoff, M. K., Ramli, M. F., & Juahir, H. (2014). Water Quality Status of Selected Rivers in Kota Marudu, Sabah, Malaysia and its Suitability for Usage. *Sains Malaysiana*, *43*(3), 377-388.

Ashraf, M. A., & Yusoff, I. (2015). Soil Erosion and its Impact on Hydro-Environment of Tasik Chini, Pahang. *E-proceedings of the 36th IAHR World Congress The Hague, the Netherlands*.

Aslin, H. J., & Lockie, S. (2013). Citizenship, engagement and the environment: Charles Darwin University Press.

Ayeni, A., Cho, M., Mathieu, R., & Adegoke, J. (2016). The local experts' perception of environmental change and its impacts on surface water in Southwestern Nigeria. *Environmental Development, 17*, 33-47.

Ayeni, A., Soneye, A., & Badru, F. (2014). Adaptation to Water Stress in Nigeria Derived Savanna Area: The Indigenous Knowledge and Socio-Cultural Nexus of Management and Humanitarian Services. *Journal of Management Policy and Practice, 15*(3), 78.

Ayivi, F. (2017). *Impact of Land-Use Land-Cover Change on Stream Water Quality in the Reedy Fork-Buffalo Creek Watershed, North Carolina: A Spatiotemporal Analysis*. The University of North Carolina at Greensboro.

Bailey, R. T., & Ahmadi, M. (2014). Spatial and temporal variability of in-stream water quality parameter influence on dissolved oxygen and nitrate within a regional stream network. *Ecological Modelling, 277*, 87-96.

Baja, S., Nurmiaty, U., & Arif, S. (2014). GIS-based soil erosion modeling for assessing land suitability in the urban watershed of tallo river, South Sulawesi, Indonesia. *Modern Applied Science, 8*(4), 50.

Baoligao, B., Xu, F., Chen, X., Wang, X., & Chen, W. (2016). Acute impacts of reservoir sediment flushing on fishes in the Yellow River. *Journal of hydro-environment research, 13*, 26-35.

Barakat, A., El Baghdadi, M., Rais, J., Aghezzaf, B., & Slassi, M. (2016). Assessment of spatial and seasonal water quality variation of Oum Er Rbia River (Morocco) using multivariate statistical techniques. *International Soil and Water Conservation Research, 4*(4), 284-292.

Barron, J. J., & Ashton, C. (2005). The effect of temperature on conductivity measurement. *TSP, 7*(73), 1-5.

Barrow, C., Ngai Weng, C., & Masron, T. (2009). Issues and challenges of sustainable agriculture in the Cameron Highlands. *Malaysian Journal of Environmental Management, 10*(2), 89-114.

Barthel, R., & Seidl, R. (2017). Interdisciplinary Collaboration between Natural and Social Sciences–Status and Trends Exemplified in Groundwater Research. *PloS one, 12*(1), e0170754.

Bartram, J., Ballance, R., & Organization, W. H. (1996). Water quality monitoring: a practical guide to the design and implementation of freshwater quality studies and monitoring programs.

Beck, M. B. (1987). Water quality modeling: a review of the analysis of uncertainty. *Water Resources Research, 23*(8), 1393-1442.

Bengraïne, K., & Marhaba, T. F. (2003). Using principal component analysis to monitor spatial and temporal changes in water quality. *Journal of hazardous materials, 100*(1), 179-195.

Bernhard, A. (2010). The nitrogen cycle: processes, players, and human impact [WWW Document]. *Nat. Educ. Knowl. URL http://www. nature. com/scitable/knowledge/library/the-nitrogen-cycle-processesplayers-and-human-15644632 (accessed 7.3. 14).*

Bhadja, P., & Vaghela, A. (2013). Effect of temperature on the toxicity of some metals to Labeo buta (Hamilton, 1822). *International Journal of Advanced Life Sciences, 6*(3), 252-254.

Blackstock, K. L., & Richards, C. (2007). Evaluating stakeholder involvement in river basin planning: a Scottish case study. *Water Policy, 9*(5), 493-512.

Brackin, R., Robinson, N., Lakshmanan, P., & Schmidt, S. (2013). Microbial function in adjacent subtropical forest and agricultural soil. *Soil Biology and Biochemistry, 57*, 68-77.

Bu, H., Meng, W., Zhang, Y., & Wan, J. (2014). Relationships between land use patterns and water quality in the Taizi River basin, China. *Ecological Indicators, 41*, 187-197.

Bu, H., Tan, X., Li, S., & Zhang, Q. (2010). Temporal and spatial variations of water quality in the Jinshui River of the South Qinling Mts., China. *Ecotoxicology and Environmental Safety, 73*(5), 907-913.

Butt, A., Shabbir, R., Ahmad, S. S., & Aziz, N. (2015). Land use change mapping and analysis using Remote Sensing and GIS: A case study of Simly watershed, Islamabad, Pakistan. *The Egyptian Journal of Remote Sensing and Space Science, 18*(2), 251-259.

Carpenter, S. R., Caraco, N. F., Correll, D. L., Howarth, R. W., Sharpley, A. N., & Smith, V. H. (1998). Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological Applications, 8*(3), 559-568.

Carr, G. (2015). Stakeholder and public participation in river basin management—an introduction. *Wiley Interdisciplinary Reviews: Water, 2*(4), 393-405.

Carter, L. D., & Dzialowski, A. R. (2012). Predicting sediment phosphorus release rates using landuse and water-quality data. *Freshwater Science, 31*(4), 1214-1222. doi:10.1899/11-177.1

Chan, J. H. (2002). *A study on the sustainable development of Cameron Highlands. Retrived from studentsrepo.um.edu.my/1534/8/BAB_4.pdf.* University of Malaya.

Chan, N. W. (2006). Cameron Highlands Issues And Challenges In Sustainable Development [HC79. E5 C182 2006 f]: School of Humanities, Universiti Sains Malaysia.

Chan, N. W. (2012). Managing Urban Rivers and Water Quality in Malaysia for Sustainable Water Resources. *International Journal of Water Resources Development, 28*(2), 343-354. doi:10.1080/07900627.2012.668643

Chapman, D. V. (1996). Water quality assessments: a guide to the use of biota, sediments and water in environmental monitoring.World Health Organization.

Chará-Serna, A. M., Chará, J., Giraldo, L. P., Zúñiga, M. d. C., & Allan, J. D. (2015). Understanding the impacts of agriculture on Andean stream ecosystems of Colombia: a causal analysis using aquatic macroinvertebrates as indicators of biological integrity. *Freshwater Science, 34*(2), 727-740.

Check, J., & Schutt, R. K. (2011). *Research methods in education*: Sage Publications.

Chen, C. A., Soo, C. L., Long, S. M., & Nyanti, L. (2014). Assessing the Bottom Water Quality of a Ramsar Site Subjected to Anthropogenic Disturbances: A Case Study in Kuching Wetland National Park, Sarawak, Malaysia. *Sains Malaysiana, 43*(10), 1491-1501.

Chen, J., & Lu, J. (2014). Effects of land use, topography and socio-economic factors on river water quality in a mountainous watershed with intensive agricultural production in East China. *PloS one, 9*(8), e102714.

Chicas, S., & Omine, K. (2015). Forest Cover Change and Soil Erosion in Toledo's Rio Grande Watershed. *The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences, 40*(7), 353.

Chicas, S. D., Omine, K., & Ford, J. B. (2016). Identifying erosion hotspots and assessing communities' perspectives on the drivers, underlying causes and impacts of soil erosion in Toledo's Rio Grande Watershed: Belize. *Applied Geography, 68*, 57-67.

Connor, R. (2015). *The United Nations world water development report 2015: water for a sustainable world* (Vol. 1): UNESCO Publishing.

Connor, R., Renata, A., Ortigara, C., Koncagül, E., Uhlenbrook, S., Lamizana-Diallo, B. M., . . . Sjödin, J. (2017). The United Nations World Water Development Report 2017. Wastewater: The Untapped Resource. *The United Nations World Water Development Report*.

Danladi Bello, A.-A., Hashim, N. B., & Mohd Haniffah, M. R. (2017). Predicting Impact of Climate Change on Water Temperature and Dissolved Oxygen in Tropical Rivers. *Climate, 5*(3), 58.

Das, S. K., Ng, A. W. M., & Perera, B. J. C. (2011). Assessment of nutrient and sediment loads in the Yarra River Catchment. *19th International Congress on Modelling and Simulation (Modsim2011)*, 3490-3496.

Das, S. K., Ng, A. W. M., Perera, B. J. C., & Adhikary, S. K. (2013). Effects of climate and landuse activities on water quality in the Yarra River catchment. *20th International Congress on Modelling and Simulation (Modsim2013)*, 2618-2624.

Dasa, S., Nga, A., Pereraa, B., & Adhikarya, S. (2013). Effects of climate and landuse activities on water quality in the Yarra River catchment.

de Jesus-Crespo, R., & Ramirez, A. (2011). Effects of urbanization on stream physicochemistry and macroinvertebrate assemblages in a tropical urban watershed in Puerto Rico. *Journal of the North American Benthological Society, 30*(3), 739-750. doi:10.1899/10-081.1

Dean, A. J., Fielding, K. S., & Newton, F. J. (2016). Community knowledge about water: who has better knowledge and is this associated with water-related behaviors and support for water-related policies? *PloS one, 11*(7), e0159063.

Demirci, A., & Karaburun, A. (2012). Estimation of soil erosion using RUSLE in a GIS framework: a case study in the Buyukcekmece Lake watershed, northwest Turkey. *Environmental Earth Sciences, 66*(3), 903-913.

Deng, M., Qin, D., & Zhang, H. (2012). Public perceptions of climate and cryosphere change in typical arid inland river areas of China: Facts, impacts and selections of adaptation measures. *Quaternary international, 282*, 48-57.

Dewan, A. M., & Yamaguchi, Y. (2009). Land use and land cover change in Greater Dhaka, Bangladesh: Using remote sensing to promote sustainable urbanization. *Applied Geography, 29*(3), 390-401.

Di Santo, V., & Bennett, W. A. (2011). Effect of rapid temperature change on resting routine metabolic rates of two benthic elasmobranchs. *Fish physiology and biochemistry, 37*(4), 929-934.

DID. (2010). Guidline for Erosion and Sediment Control in Malaysia.Ministry of Natural Resources and Environment Malaysia. Department of Irrigation and Drainage Malayssia. .

Dodd, R., & Sharpley, A. (2015). Recognizing the role of soil organic phosphorus in soil fertility and water quality. *Resources, Conservation and Recycling, 105*, 282-293.

DOE. (2010). Malaysia Environmental Quality Report 2009. Kualalumpur: Department of Environment.

DOE. (2015). Malaysia Environmental Quality Report 2014. Kualalumpur: Department of Malaysia.

Doe, W., Jones, D., & Warren, S. (1999). The soil erosion model guide for military land mangers: Analysis of erosion models for natural and cultural resources applications. *US Army Engineer Waterways Experiment Station Tech. Rept. ITL*.

Duan, W., Takara, K., He, B., Luo, P., Nover, D., & Yamashiki, Y. (2013). Spatial and temporal trends in estimates of nutrient and suspended sediment loads in the Ishikari River, Japan, 1985 to 2010. *Science of the Total Environment, 461*, 499-508.

Eduful, M., & Shively, D. (2015). Perceptions of urban land use and degradation of water bodies in Kumasi, Ghana. *Habitat International, 50*, 206-213.

Efiong, J. (2011). Changing pattern of land use in the Calabar river catchment, Southeastern Nigeria. *Journal of Sustainable Development, 4*(1), 92.

Eisakhani, M., & Malakahmad, A. (2009). Water quality assessment of Bertam River and its tributaries in Cameron Highlands, Malaysia. *World Applied Sciences Journal, 7*(6), 769-776.

El-Kawy, O. A., Rød, J., Ismail, H., & Suliman, A. (2011). Land use and land cover change detection in the western Nile delta of Egypt using remote sensing data. *Applied Geography, 31*(2), 483-494.

Elsheikh, R. F. A., Ouerghi, S., & Elhag, A. R. (2015). Soil Erosion Risk Map Based on Geographic Information System and Universal Soil Loss Equation (Case Study: Terengganu, Malaysia). *Ind. J. Sci. Res. and Tech., 3*(2), 38-43.

EPA. (2012a). 5.5 Turbidity. In Water: Monitoring & Assessment. Retrieved from http://water.epa.gov/type/rsl/monitoring/vms55.cfm.

EPA. (2012b). 5.9 Conductivity. In Water: Monitoring and Assessment. Retrieved from http://water.epa.gov/type/rsl/monitoring/vms59.cfm.

Erickson, J. (2013). Perception Surveys: Their Importance and Role in Safety Performance. Predictive Solutions, Retrived from https://blog.predictivesolutions.com/blog/perception-surveys-their-importance-and-role-in-safety-performance.

FAO, U. (1999). Terminology for Integrated Resources Planning and Management. *Food and Agriculture Organization/United Nations Environmental Programme, Rome, Italy/Nairobi, Kenia*.

FEM. (2015). Fundamentals of Environmental Measurements. Retrived from http://www.fondriest.com/environmental-measurements/parameters/water-quality/ph/.

Fichera, C. R., Modica, G., & Pollino, M. (2012). Land Cover classification and change-detection analysis using multi-temporal remote sensed imagery and landscape metrics. *European Journal of Remote Sensing*, *45*(1), 1-18.

Filippelli, G. (2009). *Phosphorus Cycle. From book Encyclopedia of Paleoclimatology and Ancient Environments (pp.780-783). Retrived from https://www.researchgate.net/publication/303176829_Phosphorus_Cycle*.

Fischer, J., & Lindenmayer, D. B. (2007). Landscape modification and habitat fragmentation: a synthesis. *Global ecology and biogeography*, *16*(3), 265-280.

Fortuin, R. (2006). Soil erosion in Cameron Highlands: An erosion rate study in a highland area. *Saxion University, Deventer, the Netherlands, Regional Environmental Awareness Cameron Highlands*, 1-83.

Foster, G. (1982). Modeling the erosion process. *Hydrologic modeling of small watersheds*.

Francis-Floyd, R., Watson, C., Petty, D., & Pouder, D. B. (2009). Ammonia in aquatic systems. *University of Florida IFAS Extension Publication# FA-16*.

Franzén, F., Hammer, M., & Balfors, B. (2015). Institutional development for stakeholder participation in local water management—An analysis of two Swedish catchments. *Land Use Policy*, *43*, 217-227.

Friesen, J., Sinobas, L. R., Foglia, L., & Ludwig, R. (2016). Environmental and socio-economic methodologies and solutions towards integrated water resources management: Elsevier.

Fulazzaky, M. A. (2014). Challenges of integrated water resources management in Indonesia. *Water*, *6*(7), 2000-2020.

Gachango, F. G., Andersen, L. M., & Pedersen, S. M. (2015). Adoption of voluntary water-pollution reduction technologies and water quality perception among Danish farmers. *Agricultural Water Management, 158*, 235-244.

Gadhia, M., Surana, R., & Ansari, E. (2013). Seasonal Variations in Physico-Chemical Characterstics of Tapi Estuary in Hazira Industrial Area. *Our Nature, 10*(1), 249-257.

Ganasri, B., & Ramesh, H. (2016). Assessment of soil erosion by RUSLE model using remote sensing and GIS-A case study of Nethravathi Basin. *Geoscience Frontiers, 7*(6), 953-961.

Garizi, A. Z., Sheikh, V., & Sadoddin, A. (2011). Assessment of seasonal variations of chemical characteristics in surface water using multivariate statistical methods. *International Journal of Environmental Science & Technology, 8*(3), 581-592.

Gasim, M. B., Ismail Sahid, E., Pereira, J., Mokhtar, M., & Abdullah, M. (2009a). Integrated water resource management and pollution sources in Cameron Highlands, Pahang, Malaysia. *American-Eurasian J Agric Environ Sci, 5*, 725-732.

Gasim, M. B., Surif, S., Toriman, M. E., Rahim, S. A., Elfithri, R., & Lun, P. I. (2009b). Land-use change and climate-change patterns of the Cameron Highlands, Pahang, Malaysia. *The Arab World Geographer, 12*(1-2), 51-61.

Gazzaz, N. M., Yusoff, M. K., Aris, A. Z., Juahir, H., & Ramli, M. F. (2012a). Artificial neural network modeling of the water quality index for Kinta River (Malaysia) using water quality variables as predictors. *Marine Pollution Bulletin, 64*(11), 2409-2420. doi:10.1016/j.marpolbul.2012.08.005

Gazzaz, N. M., Yusoff, M. K., Aris, A. Z., Juahir, H., & Ramli, M. F. (2012b). Artificial neural network modeling of the water quality index for Kinta River (Malaysia) using water quality variables as predictors. *Marine Pollution Bulletin, 64*(11), 2409-2420. doi:10.1016/j.marpolbul.2012.08.005

Gazzaz, N. M., Yusoff, M. K., Ramli, M. F., Aris, A. Z., & Juahir, H. (2012c). Characterization of spatial patterns in river water quality using chemometric pattern recognition techniques. *Marine Pollution Bulletin, 64*(4), 688-698.

Glavan, M., Miličić, V., & Pintar, M. (2013). Finding options to improve catchment water quality—Lessons learned from historical land use situations in a Mediterranean catchment in Slovenia. *Ecological Modelling, 261*, 58-73.

Glibert, P. M., Maranger, R., Sobota, D. J., & Bouwman, L. (2014). The Haber Bosch–harmful algal bloom (HB–HAB) link. *Environmental Research Letters, 9*(10), 105001.

Gonzalez-Chica, D. A., Bastos, J. L., Duquia, R. P., Bonamigo, R. R., & Martínez-Mesa, J. (2015). Test of association: which one is the most appropriate for my study? *Anais brasileiros de dermatologia, 90*(4), 523-528.

González-Ortegón, E., Subida, M., Cuesta, J., Arias, A., Fernández-Delgado, C., & Drake, P. (2010). The impact of extreme turbidity events on the nursery function of a temperate European estuary with regulated freshwater inflow. *Estuarine, Coastal and Shelf Science, 87*(2), 311-324.

Hach. (2005). *Water Analysis Guide, 1st ed*. Philadelphia, PA: Hach company.

Hamdan, M. E., Man, N., Yassin, S., DSilva, J. L., & Shaffril, H. A. M. (2014). Farmers sensitivity towards the changing climate in the Cameron Highlands. *Agricultural Journal*, *9*(2), 120-126.

Hamir, N. A., Nor, L. M., Sulaiman, H., & Sandrang, A. K. (2008). The prospect of exporting Malaysian temperate cut flowers by sea shipment to Japan. *Economy and Technology Management*, 75-83.

Hartley, N., & Wood, C. (2005). Public participation in environmental impact assessment—implementing the Aarhus Convention. *Environmental impact assessment review*, *25*(4), 319-340.

Hasan, H. H., Jamil, N. R., & Aini, N. (2015). Water quality index and sediment loading analysis in Pelus River, Perak, Malaysia. *Procedia Environmental Sciences, 30*, 133-138.

Hashim, G. M., Abdul Rahaman, A., & Chan, N. (2006). Soil erosion and water pollution in Cameron Highlands: Conservation and strategies. *Cameron Highlands Issues and Challenges in Sustainable Development. Universiti Sains Malaysia*, 76-85.

Hasmadi, M., Pakhriazad, H., & Shahrin, M. (2017). Evaluating supervised and unsupervised techniques for land cover mapping using remote sensing data. *Geografia-Malaysian Journal of Society and Space*, *5*(1).

Hegazy, I. R., & Kaloop, M. R. (2015). Monitoring urban growth and land use change detection with GIS and remote sensing techniques in Daqahlia governorate Egypt. *International Journal of Sustainable Built Environment*, *4*(1), 117-124.

Helsel, D., & Hirsch, R. (2002). Statistical Methods in Water Resources: Techniques of Water-Resources Investigations of the United States Geological Survey. *Book*, *4*, 266-274.

Holm, P., Goodsite, M. E., Cloetingh, S., Agnoletti, M., Moldan, B., Lang, D. J., . . . Pohl, W. (2013). Collaboration between the natural, social and human sciences in global change research. *Environmental Science & Policy*, *28*, 25-35.

Horn, S. (2010). Using a GIS to Determine how Different Types of Land Cover have Changed over Time in the State of Connecticut. *Papers in Resource Analysis, Volume 12*, 11 pp; Retrieved (15 september 2015) from http://www.gis.smumn.edu.

Horning, N. (2010). Land covers classification methods. American Museum of Natural History. *Center for Biodiversity and Conservation. http://biodiversityinformatics. amnh. org. Accessed on, 28*, 2014.

Hu, Y., & Cheng, H. (2013). Water pollution during China's industrial transition. *Environmental Development, 8*, 57-73.

Hua, A. K., Kusin, F. M., & Praveena, S. M. (2016a). Spatial Variation Assessment of River Water Quality Using Environmetric Techniques. *Polish Journal of Environmental Studies, 25*(6), 2411-2421. doi:10.15244/pjoes/64082

Hua, A. K., Kusin, F. M., & Praveena, S. M. (2016b). Spatial Variation Assessment of River Water Quality Using Environmetric Techniques. *Polish Journal of Environmental Studies, 25*(6).

Huang, F., Wang, X., Lou, L., Zhou, Z., & Wu, J. (2010). Spatial variation and source apportionment of water pollution in Qiantang River (China) using statistical techniques. *Water Research, 44*(5), 1562-1572.

Huang, Z., Han, L., Zeng, L., Xiao, W., & Tian, Y. (2016). Effects of land use patterns on stream water quality: a case study of a small-scale watershed in the Three Gorges Reservoir Area, China. *Environmental Science and Pollution Research, 23*(4), 3943-3955.

Hubbard, L., Kolpin, D., Kalkhoff, S., & Robertson, D. M. (2011). Nutrient and sediment concentrations and corresponding loads during the historic June 2008 flooding in eastern Iowa. *Journal of Environmental Quality, 40*(1), 166.

Huckett, S. P. (2010). *A comparative study to identify factors affecting adoption of soil and water conservation practices among smallhold farmers in the Njoro River watershed of Kenya*: Utah State University.

Ian, H. (2010). *An introduction to geographical information systems*: Pearson Education India.

Islam, M., Tusher, T., Mustafa, M., & Mahmud, S. (2013). Effects of solid waste and industrial effluents on water quality of Turag River at Konabari industrial area, Gazipur, Bangladesh. *Journal of Environmental Science and Natural Resources, 5*(2), 213-218.

Ismail, M. H., Othman, C. K. A. C. K., Malek, I. A. A., & Abdullah, S. A. (2014). Land Use Trends Analysis Using SPOT 5 Images and Its Effect on the Landscape of Cameron Highlands, Malaysia *Designing Low Carbon Societies in Landscapes* (pp. 223-238): Springer.

Issaka, S., & Ashraf, M. A. (2017). Impact of soil erosion and degradation on water quality: a review. *Geology, Ecology, and Landscapes, 1*(1), 1-11.

Jaafar, O., Toriman, M. E., Mastura, S. S., Gazim, M. B., Lun, P. I., Abdullah, P., . . . Aziz, N. A. A. (2010). Modeling the impacts of ringlet reservoir on downstream hydraulic capacity of bertain river using XPSWMM in cameron highlands, Malaysia. *Research Journal of Applied Sciences, 5*(2), 47-53.

Jakeman, A. J., Green, T. R., Beavis, S. G., Zhang, L., Dietrich, C. R., & Crapper, P. F. (1999). Modelling upland and instream erosion, sediment and phosphorus transport in a large catchment. *Hydrological Processes, 13*(5), 745-752.

Jamil, N. R., Ruslan, M. S., Toriman, M. E., Idris, M., & Razad, A. A. (2014). Impact of Landuse on Seasonal Water Quality at Highland Lake: A Case Study of Ringlet Lake, Cameron Highlands, Pahang *From Sources to Solution* (pp. 409-413): Springer.

Jha, D. K., Devi, M. P., Vidyalakshmi, R., Brindha, B., Vinithkumar, N. V., & Kirubagaran, R. (2015). Water quality assessment using water quality index and geographical information system methods in the coastal waters of Andaman Sea, India. *Marine Pollution Bulletin, 100*(1), 555-561.

Jha, M. K., & Paudel, R. C. (2010). Erosion predictions by empirical models in a mountainous watershed in Nepal. *Journal of Spatial Hydrology, 10*(1).

Jiménez Cisneros, B. E., Oki, T., Arnell, N. W., Benito, G., Cogley, J. G., Doll, P., . . . Mwakalila, S. S. (2014). Freshwater resources.

Jingling, L., Yun, L., Liya, S., Zhiguo, C., & Baoqiang, Z. (2010). Public participation in water resources management of Haihe river basin, China: the analysis and evaluation of status quo. *Procedia Environmental Sciences, 2*, 1750-1758.

Jouanneau, S., Recoules, L., Durand, M., Boukabache, A., Picot, V., Primault, Y., . . . Thouand, G. (2014). Methods for assessing biochemical oxygen demand (BOD): A review. *Water Research, 49*, 62-82.

Kagabo, D., Stroosnijder, L., Visser, S., & Moore, D. (2013). Soil erosion, soil fertility and crop yield on slow-forming terraces in the highlands of Buberuka, Rwanda. *Soil and tillage research, 128*, 23-29.

Kaiser, H. (1974). An index of factorial simplicity, Psychometrics 39: 31–36.

Kanazawa, M. (2017). *Research Methods for Environmental Studies: A Social Science Approach*: Routledge.

Kandel, D., Western, A., Grayson, R., & Turral, H. (2004). Process parameterization and temporal scaling in surface runoff and erosion modelling. *Hydrological Processes, 18*(8), 1423-1446.

Kang, J.-H., Lee, S. W., Cho, K. H., Ki, S. J., Cha, S. M., & Kim, J. H. (2010). Linking land-use type and stream water quality using spatial data of fecal indicator bacteria and heavy metals in the Yeongsan river basin. *Water Research, 44*(14), 4143-4157.

Kang, N., Sakamoto, T., Imanishi, J., Fukamachi, K., Shibata, S., & Morimoto, Y. (2013). Characterizing the historical changes in land use and landscape spatial pattern on the oguraike floodplain after the Meiji Period.

Kannel, P. R., Lee, S., Lee, Y.-S., Kanel, S., & Pelletier, G. (2007). Application of automated QUAL2Kw for water quality modeling and management in the Bagmati River, Nepal. *Ecological Modelling, 202*(3-4), 503-517.

Karydas, C. G., Sekuloska, T., & Silleos, G. N. (2009). Quantification and site-specification of the support practice factor when mapping soil erosion risk associated with olive plantations in the Mediterranean island of Crete. *Environmental Monitoring and Assessment, 149*(1-4), 19-28.

Kashaigili, J., & Majaliwa, A. (2010). Integrated assessment of land use and cover changes in the Malagarasi river catchment in Tanzania. *Physics and Chemistry of the Earth, Parts A/B/C, 35*(13), 730-741.

Kaurish, F. W., & Younos, T. (2007). Developing a standardized water quality index for evaluating surface water quality. *JAWRA Journal of the American Water Resources Association, 43*(2), 533-545.

Khalik, W., Abdullah, M. P., Amerudin, N. A., & Padli, N. (2013). Physicochemical analysis on water quality status of Bertam River in Cameron Highlands, Malaysia. *J. Mater. Environ. Sci, 4*(4), 488-495.

Khoi, D. N., & Suetsugi, T. (2014). Impact of climate and land-use changes on hydrological processes and sediment yield—a case study of the Be River catchment, Vietnam. *Hydrological Sciences Journal, 59*(5), 1095-1108.

Kibena, J., Nhapi, I., & Gumindoga, W. (2014a). Assessing the relationship between water quality parameters and changes in landuse patterns in the Upper Manyame River, Zimbabwe. *Physics and Chemistry of the Earth, Parts A/B/C, 67*, 153-163.

Kibena, J., Nhapi, I., & Gumindoga, W. (2014b). Assessing the relationship between water quality parameters and changes in landuse patterns in the Upper Manyame River, Zimbabwe. *Physics and Chemistry of the Earth, 67-69*, 153-163. doi:10.1016/j.pce.2013.09.017

Kilonzo, F., Masese, F. O., Van Griensven, A., Bauwens, W., Obando, J., & Lens, P. N. (2014). Spatial–temporal variability in water quality and macro-invertebrate assemblages in the Upper Mara River basin, Kenya. *Physics and Chemistry of the Earth, Parts A/B/C, 67*, 93-104.

Kim, Y. (2014). Soil erosion assessment using GIS and revised universal soil loss equation (RUSLE). *Journal of Water Resources*.

Kimbell, H. S., & Morrell, L. J. (2015). Turbidity influences individual and group level responses to predation in guppies, Poecilia reticulata. *Animal behaviour, 103*, 179-185.

Kindu, M., Schneider, T., Teketay, D., & Knoke, T. (2015). Drivers of land use/land cover changes in Munessa-Shashemene landscape of the south-central highlands of Ethiopia. *Environmental Monitoring and Assessment, 187*(7), 452.

Kotoky, P., Dutta, M., & Borah, G. (2012). Changes in landuse and landcover along the Dhansiri River channel, Assam--A remote sensing and GIS approach. *Journal of the Geological Society of India, 79*(1), 61.

Kozaki, D., bin Ab Rahim, H., bin Wan Ishak, F., Yusoff, M. M., Mori, M., Nakatani, N., & Tanaka, K. (2016). Assessment of the River Water Pollution Levels in Kuantan, Malaysia, Using Ion-Exclusion Chromatographic Data, Water Quality Indices, and Land Usage Patterns. *Air, Soil and Water Research, 9*, 1.

Kozaki, D., Harun, N. I. B., Rahim, M. H. B. A., Mori, M., Nakatani, N., & Tanaka, K. (2017). Determination of Water Quality Degradation Due to Industrial and Household Wastewater in the Galing River in Kuantan, Malaysia Using Ion Chromatograph and Water Quality Data. *Environments, 4*(2), 35.

Kruskal, W. H., & Wallis, W. A. (1952). Use of ranks in one-criterion variance analysis. *Journal of the American statistical Association, 47*(260), 583-621.

Kumaran, S., & Ainuddin, A. (2006). *Forests, water and climate of Cameron Highlands*: School of Humanities, Universiti Sains Malaysia.

Kunasekaran, P., Ramachandran, S., Yacob, M. R., & Shuib, A. (2011). Development of farmers' perception scale on agro tourism in Cameron Highlands, Malaysia. *World Applied Sciences Journal, 12*(Special Issue of Tourism & Hospitality), 10-18.

Lam, Q., Schmalz, B., & Fohrer, N. (2012). Assessing the spatial and temporal variations of water quality in lowland areas, Northern Germany. *Journal of Hydrology, 438*, 137-147.

Lambin, E. F., Geist, H. J., & Lepers, E. (2003). Dynamics of land-use and land-cover change in tropical regions. *Annual review of environment and resources, 28*(1), 205-241.

Lambin, E. F., Turner, B. L., Geist, H. J., Agbola, S. B., Angelsen, A., Bruce, J. W., . . . Folke, C. (2001). The causes of land-use and land-cover change: moving beyond the myths. *Global environmental change, 11*(4), 261-269.

Lawson, E. (2011). Physico-chemical parameters and heavy metal contents of water from the Mangrove Swamps of Lagos Lagoon, Lagos, Nigeria. *Advances in Biological Research, 5*(1), 8-21.

Lee, I., Hwang, H., Lee, J., Yu, N., Yun, J., & Kim, H. (2017). Modeling approach to evaluation of environmental impacts on river water quality: A case study with Galing River, Kuantan, Pahang, Malaysia. *Ecological Modelling, 353*, 167-173. doi:10.1016/j.ecolmodel.2017.01.021

Lee, S.-W., Hwang, S.-J., Lee, S.-B., Hwang, H.-S., & Sung, H.-C. (2009). Landscape ecological approach to the relationships of land use patterns in watersheds to water quality characteristics. *Landscape and Urban Planning, 92*(2), 80-89.

Li, J., & Heap, A. D. (2008). A review of spatial interpolation methods for environmental scientists.

Li, S., Liu, W., Gu, S., Cheng, X., Xu, Z., & Zhang, Q. (2009). Spatio-temporal dynamics of nutrients in the upper Han River basin, China. *Journal of hazardous materials, 162*(2), 1340-1346.

Li, S., & Zhang, Q. (2010). Spatial characterization of dissolved trace elements and heavy metals in the upper Han River (China) using multivariate statistical techniques. *Journal of hazardous materials, 176*(1), 579-588.

Li, X., Li, P., Wang, D., & Wang, Y. (2014). Assessment of temporal and spatial variations in water quality using multivariate statistical methods: A case study of the Xin'anjiang River, China. *Frontiers of Environmental Science & Engineering, 8*(6), 895-904.

Li, Y., Li, Y., Qureshi, S., Kappas, M., & Hubacek, K. (2015). On the relationship between landscape ecological patterns and water quality across gradient zones of rapid urbanization in coastal China. *Ecological Modelling, 318*, 100-108.

Liebetrau, A. M. (1983). *Measures of association* (Vol. 32): Sage.

Ling, T. Y., Soo, C. L., Phan, T. P., Nyanti, L., Sim, S. F., & Grinang, J. (2017). Assessment of Water Quality of Batang Rajang at Pelagus Area, Sarawak, Malaysia. *Sains Malaysiana, 46*(3), 401-411. doi:10.17576/jsm-2017-4603-07

Ling, T. Y., Soo, C. L., Sivalingam, J. R., Nyanti, L., Sim, S. F., & Grinang, J. (2016). Assessment of the Water and Sediment Quality of Tropical Forest Streams in Upper Reaches of the Baleh River, Sarawak, Malaysia, Subjected to Logging Activities. *Journal of Chemistry*. doi:Artn 850393110.1155/2016/8503931

Liu, C.-W., Lin, K.-H., & Kuo, Y.-M. (2003). Application of factor analysis in the assessment of groundwater quality in a blackfoot disease area in Taiwan. *Science of the Total Environment, 313*(1), 77-89.

Long, K., & Pijanowski, B. C. (2017). Is there a relationship between water scarcity and water use efficiency in China? A national decadal assessment across spatial scales. *Land Use Policy, 69*, 502-511. doi:10.1016/j.landusepol.2017.09.055

Lu, X. X., Li, S., He, M., Zhou, Y., Bei, R., Li, L., & Ziegler, A. D. (2011). Seasonal changes of nutrient fluxes in the Upper Changjiang basin: An example of the Longchuanjiang River, China. *Journal of Hydrology, 405*(3-4), 344-351.

Lund, J. R. (2015). Integrating social and physical sciences in water management. *Water Resources Research, 51*(8), 5905-5918.

Magbanua, F. S., Mendoza, N. Y. B., Uy, C. J. C., Matthaei, C. D., & Ong, P. S. (2015). Water physicochemistry and benthic macroinvertebrate communities in a tropical reservoir: The role of water level fluctuations and water depth. *Limnologica-Ecology and Management of Inland Waters, 55*, 13-20.

Mallupattu, P. K., & Sreenivasula Reddy, J. R. (2013). Analysis of land use/land cover changes using remote sensing data and GIS at an Urban Area, Tirupati, India. *The Scientific World Journal, 2013*.

Manandhar, S., Pratoomchai, W., Ono, K., Kazama, S., & Komori, D. (2015). Local people's perceptions of climate change and related hazards in mountainous areas of northern Thailand. *International Journal of Disaster Risk Reduction, 11*, 47-59.

Markov, S. (2012). *Nitrogen cycle. In book: Earth Science. Water & Atmosphere., Chapter: Nitrogen cycle, Publisher: EBSCO, Editors: Joe Spradley, David Kenneth Elliott, Steven I. Dutch and Dr. Margaret Boorstein, pp.347-350*.

Martin, W. E., & Bridgmon, K. D. (2012). *Quantitative and statistical research methods: From hypothesis to results* (Vol. 42): John Wiley & Sons.

Masum, K. M., Mansor, A., Sah, S. A. M., & Lim, H. S. (2017). Effect of differential forest management on land-use change (LUC) in a tropical hill forest of Malaysia. *Journal of Environmental Management, 200*, 468-474. doi:10.1016/j.jenvman.2017.06.009

Mei, K., Liao, L., Zhu, Y., Lu, P., Wang, Z., Dahlgren, R. A., & Zhang, M. (2014). Evaluation of spatial-temporal variations and trends in surface water quality across a rural-suburban-urban interface. *Environmental Science and Pollution Research, 21*(13), 8036-8051.

Mei, N. S., Wai, C. W., & Ahamad, R. (2016). Environmental Awareness and Behaviour Index for Malaysia. *Procedia - Social and Behavioral Sciences, 222*(Supplement C), 668-675. doi:https://doi.org/10.1016/j.sbspro.2016.05.223

Mertens, D. M. (2014). *Research and evaluation in education and psychology: Integrating diversity with quantitative, qualitative, and mixed methods*: Sage publications.

Meyer, W. B., & Turner, B. L. (1992). Human population growth and global land-use/cover change. *Annual review of ecology and systematics, 23*(1), 39-61.

Midmore, D. J., Jansen, H. G., & Dumsday, R. G. (1996). Soil erosion and environmental impact of vegetable production in the Cameron Highlands, Malaysia. *Agriculture, ecosystems & environment, 60*(1), 29-46.

Mir, S. I., Sahid, I., Gasim, M. B., Rahim, S. A., & Toriman, M. E. (2015). Prediction of soil and nutrient losses from the lake Chini watershed, Pahang, Malaysia. *Journal of Physical Science, 26*(1), 53.

Mitas, L., & Mitasova, H. (1998). Distributed soil erosion simulation for effective erosion prevention. *Water Resources Research, 34*(3), 505-516.

Mitasova, H., & Mitas, L. (1999). Modeling soil detachment with RUSLE 3d using GIS. *University of Illinois at Urbana-Champaign*.

Moghadam, B. K., Jabarifar, M., Bagheri, M., & Shahbazi, E. (2015). Effects of land use change on soil splash erosion in the semi-arid region of Iran. *Geoderma, 241*, 210-220.

Mohtar, Z. A., Yahaya, A. S., & Ahmad, F. (2015). Rainfall erosivity estimation for Northern and Southern peninsular Malaysia using Fourneir indexes. *Procedia Engineering, 125*, 179-184.

Morgan, R. P. C. (2005). *Soil erosion and conservation, 3rd Edition*: Blackwell Publishing Ltd.

Morrison, E. H., Upton, C., Pacini, N., Odhiambo-K'oyooh, K., & Harper, D. M. (2013). Public perceptions of papyrus: community appraisal of wetland ecosystem services at Lake Naivasha, Kenya. *Ecohydrology & Hydrobiology, 13*(2), 135-147.

Mostapa, R., & Weston, K. (2016). Seasonal and spatial variability of selected surface water quality parameters in Setiu wetland, Terengganu, Malaysia. *Sains Malaysiana, 45*(4), 551-558.

Mouri, G., Golosov, V., Chalov, S., Takizawa, S., Oguma, K., Yoshimura, K., . . . Oki, T. (2013). Assessment of potential suspended sediment yield in Japan in the 21st century with reference to the general circulation model climate change scenarios. *Global and planetary change, 102*, 1-9

Mouri, G., Takizawa, S., & Oki, T. (2011). Spatial and temporal variation in nutrient parameters in stream water in a rural-urban catchment, Shikoku, Japan: Effects of land cover and human impact. *Journal of Environmental Management, 92*(7), 1837-1848.

Moyo, N., & Rapatsa, M. (2016). Impact of urbanization on the ecology of Mukuvisi River, Harare, Zimbabwe. *Physics and Chemistry of the Earth, Parts A/B/C, 92*, 14-19.

Mukundan, R., Pradhanang, S. M., Schneiderman, E. M., Pierson, D. C., Anandhi, A., Zion, M. S., . . . Steenhuis, T. S. (2013). Suspended sediment source areas and future climate impact on soil erosion and sediment yield in a New York City water supply watershed, USA. *Geomorphology, 183*, 110-119.

Mustapha, A., Aris, A. Z., Ramli, M. F., & Juahir, H. (2012). Spatial-temporal variation of surface water quality in the downstream region of the Jakara River, north-western Nigeria: A statistical approach. *Journal of Environmental Science and Health, Part A, 47*(11), 1551-1560.

Mustard, J. F., Defries, R. S., Fisher, T., & Moran, E. (2012). Land-use and land-cover change pathways and impacts *Land change science* (pp. 411-429): Springer.

Myhill, A. (2003). Community engagement in policing. *Lessons from the Literature. London: Home Office Report*.

Naddeo, V., Scannapieco, D., Zarra, T., & Belgiorno, V. (2013). River water quality assessment: Implementation of non-parametric tests for sampling frequency optimization. *Land Use Policy, 30*(1), 197-205.

Naubi, I., Zardari, N. H., Shirazi, S. M., Ibrahim, N. F. B., & Baloo, L. (2016). Effectiveness of Water Quality Index for Monitoring Malaysian River Water Quality. *Polish Journal of Environmental Studies, 25*(1).

Noi, L. V. T., & Nitivattananon, V. (2015). Assessment of vulnerabilities to climate change for urban water and wastewater infrastructure management: Case study in Dong Nai river basin, Vietnam. *Environmental Development, 16*, 119-137.

Nordstokke, D. W., Zumbo, B. D., Cairns, S. L., & Saklofske, D. H. (2011). The operating characteristics of the nonparametric Levene test for equal variances with assessment and evaluation data. *Practical Assessment, Research & Evaluation, 16*.

Norhayati, M., Goh, S., Tong, S., Wang, C., & Abdul Halim, S. (1997). Water quality studies for the classification of Sungai Bernam and Sungai Selangor. *J. Ensearch, 10*, 27-36.

NWRS. (2011). Review of the national water resources study(2000-2050) and formulation of national water resources policy, Malaysia. *Vol12-Pahang*.

O'Driscoll, C., O'Connor, M., de Eyto, E., Brown, L. E., & Xiao, L. (2016). Forest clearfelling effects on dissolved oxygen and metabolism in peatland streams. *Journal of Environmental Management, 166*, 250-259.

Ogunbode, C. A., & Arnold, K. (2012). A study of environmental awareness and attitudes in Ibadan, Nigeria. *Human and Ecological Risk Assessment: An International Journal, 18*(3), 669-684.

Ogwueleka, T. C. (2015). Use of multivariate statistical techniques for the evaluation of temporal and spatial variations in water quality of the Kaduna River, Nigeria. *Environmental Monitoring and Assessment, 187*(3), 1-17.

Othman, F., Elamin, M., Eldin, A., Azahar, H., Azireen, S., & Muhammad, S. A. (2014). *Utilizing GIS in the Development of Water Quality River Modeling for Penchala River, Malaysia.* Paper presented at the Applied Mechanics and Materials.

Othman, F., Eldin, M. E. A., & Mohamed, I. (2012). Trend analysis of a tropical urban river water quality in Malaysia. *Journal of Environmental Monitoring, 14*(12), 3164-3173. doi:10.1039/c2em30676j

Othman, J. (2011). Scenic beauty preferences of Cameron Highlands Malaysia: Local versus foreign tourists. *International Journal of Business and Social Science, 2*(6), 248-253.

Ouyang, Y., Nkedi-Kizza, P., Wu, Q., Shinde, D., & Huang, C. (2006). Assessment of seasonal variations in surface water quality. *Water Research, 40*(20), 3800-3810.

Palerm, J. R. (1999). Public participation in environmental decision making: examining the Aarhus convention. *Journal of Environmental Assessment Policy and Management, 1*(02), 229-244.

Panagos, P., Ballabio, C., Borrelli, P., Meusburger, K., Klik, A., Rousseva, S., . . . Olsen, P. (2015a). Rainfall erosivity in Europe. *Science of the Total Environment, 511*, 801-814.

Panagos, P., Borrelli, P., Poesen, J., Ballabio, C., Lugato, E., Meusburger, K., . . . Alewell, C. (2015b). The new assessment of soil loss by water erosion in Europe. *Environmental Science & Policy, 54*, 438-447.

Pandey, A., Himanshu, S. K., Mishra, S., & Singh, V. P. (2016). Physically based soil erosion and sediment yield models revisited. *Catena, 147*, 595-620.

Paramananthan, S. (1977). *Soil genesis on igneous and metamorphic rocks in Malaysia*: State University of Ghent.

Park, J. H., Duan, L., Kim, B., Mitchell, M. J., & Shibata, H. (2010). Potential effects of climate change and variability on watershed biogeochemical processes and water quality in Northeast Asia. *Environ Int, 36*(2), 212-225. doi:10.1016/j.envint.2009.10.008

Pathirana, A., Denekew, H. B., Veerbeek, W., Zevenbergen, C., & Banda, A. T. (2014). Impact of urban growth-driven landuse change on microclimate and extreme precipitation—A sensitivity study. *Atmospheric Research, 138*, 59-72.

Perazzoli, M., Pinheiro, A., & Kaufmann, V. (2013). Effects of scenarios of landuse on water regime and sediment transport in the Concórdia River basin, SC. *Revista Arvore, 37*(5), 859-869.

Perkins, P. E. E. (2011). Public participation in watershed management: International practices for inclusiveness. *Physics and Chemistry of the Earth, Parts A/B/C, 36*(5-6), 204-212.

Perlman, H. (2013). Water Properties: Temperature. In The USGS Water Science School . Retrieved from http://ga.water.usgs.gov/edu/temperature.html.

Perrin, J.-L., Raïs, N., Chahinian, N., Moulin, P., & Ijjaali, M. (2014). Water quality assessment of highly polluted rivers in a semi-arid Mediterranean zone Oued Fez and Sebou River (Morocco). *Journal of Hydrology, 510*, 26-34.

Piwpuan, N., Zhai, X., & Brix, H. (2013). Nitrogen nutrition of Cyperus laevigatus and Phormium tenax: effects of ammonium versus nitrate on growth, nitrate reductase activity and N uptake kinetics. *Aquatic botany, 106*, 42-51.

Ponto, J. (2015). Understanding and evaluating survey research. *Journal of the advanced practitioner in oncology, 6*(2), 168.

Pörtner, H.-O. (2010). Oxygen-and capacity-limitation of thermal tolerance: a matrix for integrating climate-related stressor effects in marine ecosystems. *Journal of Experimental Biology, 213*(6), 881-893.

Pradha, B., Mansor, S., & Pirasteh, S. (2011). Landslide Susceptibility Mapping: an Assessment of the Use of an Advanced Neural Network Model with Five Different Training Strategies *Artificial Neural Networks-Application*: InTech.

Prasannakumar, V., Vijith, H., Abinod, S., & Geetha, N. (2012). Estimation of soil erosion risk within a small mountainous sub-watershed in Kerala, India, using Revised Universal Soil Loss Equation (RUSLE) and geo-information technology. *Geoscience Frontiers, 3*(2), 209-215.

Pratt, B., & Chang, H. (2012). Effects of land cover, topography, and built structure on seasonal water quality at multiple spatial scales. *Journal of hazardous materials, 209*, 48-58.

Priess, J., Schweitzer, C., Batkhishig, O., Koschitzki, T., & Wurbs, D. (2015). Impacts of agricultural land-use dynamics on erosion risks and options for land and water management in Northern Mongolia. *Environmental Earth Sciences, 73*(2), 697-708.

Prokop, P., & Płoskonka, D. (2014). Natural and human impact on the land use and soil properties of the Sikkim Himalayas piedmont in India. *Journal of Environmental Management, 138*, 15-23.

Qadir, A., Malik, R. N., Feroz, A., Jamil, N., & Mukhtar, K. (2013). Spatiotemporal distribution of contaminants in Nullah Palkhu-highly polluted stream of Pakistan. *Journal of Environmental Science and Water Resources, 2*(10), 342-353.

Ramli, M. N. A. B. (2014). Illegal Dumping in Cameron Highlands (Thesis)Retrived from https://www.researchgate.net/publication/271836678.

RAMP. (2016a). Regional Aquatics Monitoring Program. Water Quality Indicators: Nutrients. Retrived from http://www.ramp-alberta.org/river/water+sediment+quality/chemical/nutrient.aspx.

RAMP. (2016b). Regional Aquatics Monitoring Program. Water Quality Indicators: Temperature and Dissolve Oxygen. Retrieved from http://www.ramp-alberta.org/river/water+sediment+quality/chemical/temperature+and+dissolved+oxygen.aspx

Regional Aquatic Monitoring Proram., Retrieved September 2016, from http://www.ramp-alberta.org/river/water+sediment+quality/chemical/temperature+and+dissolved+oxygen.aspx

Ranzi, R., Le, T. H., & Rulli, M. C. (2012). A RUSLE approach to model suspended sediment load in the Lo river (Vietnam): effects of reservoirs and land use changes. *Journal of Hydrology, 422*, 17-29.

Rasul, G. (2016). Spatial and Temporal Variation of Water Quality in the Bertam Catchment, Cameron Highlands, Malaysia. *Water Environ Res*. doi:10.2175/106143017X14839994522740

Rault, P. A. K., Vreugdenhil, H., Jeffrey, P., & Slinger, J. H. (2013). Readiness and willingness of the public to participate in integrated water management: some insights from the Levant. *Water Policy, 15*(S2), 101-120.

Rawat, J., & Kumar, M. (2015). Monitoring land use/cover change using remote sensing and GIS techniques: A case study of Hawalbagh block, district Almora, Uttarakhand, India. *The Egyptian Journal of Remote Sensing and Space Science, 18*(1), 77-84.

Razali, N. M., & Wah, Y. B. (2010). *Power comparisons of some selected normality tests.* Paper presented at the Regional Conference on Statistical Sciences, Malaysia.

Reed, M. S. (2008). Stakeholder participation for environmental management: a literature review. *Biological Conservation, 141*(10), 2417-2431.

Renard, K., Foster, G., Yoder, D., & McCool, D. (1994). RUSLE revisited: status, questions, answers, and the future. *Journal of Soil and Water Conservation, 49*(3), 213-220.

Renard, K. G. (1997). Predicting soil erosion by water: a guide to conservation planning with the revised universal soil loss equation (RUSLE).

Renard, K. G., & Freimund, J. R. (1994). Using monthly precipitation data to estimate the R-factor in the revised USLE. *Journal of Hydrology, 157*(1-4), 287-306.

Rimal, B. (2011). Application of Remote Sensing and GIS, Landuse/Land Cover Change in Kathmaandu Metropolitan City, Nepal. *Journal of Theoretical & Applied Information Technology, 23*(2).

Roberts, A. D. (2016). The effects of current landscape configuration on streamflow within selected small watersheds of the Atlanta metropolitan region. *Journal of Hydrology: Regional Studies, 5*, 276-292.

Rolston, A., Jennings, E., & Linnane, S. (2017). Water matters: An assessment of opinion on water management and community engagement in the Republic of Ireland and the United Kingdom. *PloS one*, *12*(4), e0174957.

Roose, E. (1977). *Application of the universal soil loss equation of Wischmeier and Smith in West Africa.* Paper presented at the Soil Conservation and Management in the Humid Tropics; Proceedings of the International Conference.

Rouillard, J., Reeves, A. D., Heal, K. V., & Ball, T. (2014). The role of public participation in encouraging changes in rural land use to reduce flood risk. *Land Use Policy, 38*, 637-645.

Rügner, H., Schwientek, M., Beckingham, B., Kuch, B., & Grathwohl, P. (2013). Turbidity as a proxy for total suspended solids (TSS) and particle facilitated pollutant transport in catchments. *Environmental Earth Sciences, 69*(2), 373-380.

Ruzdjak, A. M., & Ruzdjak, D. (2015). Evaluation of river water quality variations using multivariate statistical techniques. *Environmental Monitoring and Assessment, 187*(4), 1.

Santos, C. A., Watanabe, M., & Suzuki, K. (1998). A conceptual soil erosion model. *PROCEEDINGS OF HYDRAULIC ENGINEERING, 42*, 1033-1038.

Schulz, J. J., Cayuela, L., Echeverria, C., Salas, J., & Benayas, J. M. R. (2010). Monitoring land cover change of the dryland forest landscape of Central Chile (1975–2008). *Applied Geography, 30*(3), 436-447.

Secretariat, U. N. W. W. A. P. (2016). Water and jobs.

Selvanayagam, M. (2016). Use of benthic macro invertebrates as a biological indicator in assessing water quality of river Puyo, Puyo, Pastaza, Ecuador.

Selvanayagam, M., & Abril, R. (2015). Water quality assessment of Piatua River using macroinvertebrates in Puyo, Pastaza, Ecuador. *American Journal of Life Sciences, 3*(3), 167-174.

Shalaby, A., & Tateishi, R. (2007). Remote sensing and GIS for mapping and monitoring land cover and land-use changes in the Northwestern coastal zone of Egypt. *Applied Geography, 27*(1), 28-41.

Shapiro, S. S., & Wilk, M. B. (1965). An analysis of variance test for normality (complete samples). *Biometrika, 52*(3/4), 591-611.

Shen, Z., Hou, X., Li, W., & Aini, G. (2014). Relating landscape characteristics to non-point source pollution in a typical urbanized watershed in the municipality of Beijing. *Landscape and Urban Planning, 123*, 96-107.

Shinde, V., Tiwari, K., & Singh, M. (2010). Prioritization of micro watersheds on the basis of soil erosion hazard using remote sensing and geographic information system. *International Journal of Water Resources and Environmental Engineering, 5*(2), 130-136.

Shrestha, S., & Kazama, F. (2007). Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan. *Environmental Modelling & Software, 22*(4), 464-475.

Shuhaimi-Othman, M., Lim, E. C., & Mushrifah, I. (2007). Water quality changes in Chini Lake, Pahang, West Malaysia. *Environmental Monitoring and Assessment, 131*(1-3), 279-292.

Silva, J. L., Man, N., Shaffril, H. A., & Samah, B. A. (2011). Acceptance of sustainable agricultural practices: the case of crop farmers. *American Journal of Agricultural and Biological Science*.

Singh, A. (1989). Review article digital change detection techniques using remotely-sensed data. *International Journal of Remote Sensing, 10*(6), 989-1003.

Singh, K. P., Malik, A., & Sinha, S. (2005). Water quality assessment and apportionment of pollution sources of Gomti river (India) using multivariate statistical techniques—a case study. *Analytica Chimica Acta, 538*(1), 355-374.

Singh, S., & Mishra, A. (2014). Spatiotemporal analysis of the effects of forest covers on stream water quality in Western Ghats of peninsular India. *Journal of Hydrology, 519*, 214-224.

Soo, C. L., Chen, C. A., & Mohd-Long, S. (2017). Assessment of Near-Bottom Water Quality of Southwestern Coast of Sarawak, Borneo, Malaysia: A Multivariate Statistical Approach. *Journal of Chemistry*. doi:Artn 1590329 .1155/2017/1590329

Sorooshian, S. (1991). Parameter estimation, model identification, and model validation: conceptual-type models *Recent advances in the modeling of hydrologic systems* (pp. 443-467): Springer.

SS. (2017). Snap Surveys. "Why Use Demographic Questions in Surveys?" Retrived from https://www.snapsurveys.com/blog/5-survey-demographic-question-examples/.

Sterling, E. J., Betley, E., Sigouin, A., Gomez, A., Toomey, A., Cullman, G., . . . Blair, M. (2017). Assessing the evidence for stakeholder engagement in biodiversity conservation. *Biological Conservation, 209*, 159-171.

Suratman, S., Sailan, M. I. M., Hee, Y. Y., Bedurus, E. A., & Latif, M. T. (2015). A Preliminary Study of Water Quality Index in Terengganu River Basin, Malaysia. *Sains Malaysiana, 44*(1), 67-73.

Tan, K., & Mokhtar, M. (2010). Evaluation of social perception on water issues in Cameron Highlands (Malaysia) by Principle Factor Analysis. *Journal of Environmental Science and Engineering, 4*(4), 45.

Tavares, A. O., Pato, R. L., & Magalhães, M. C. (2012). Spatial and temporal land use change and occupation over the last half century in a peri-urban area. *Applied Geography, 34*, 432-444.

Teh, S. H. (2011). Soil erosion modeling using RUSLE and GIS on Cameron highlands, Malaysia for hydropower development.

Tong, S. T., & Chen, W. (2002). Modeling the relationship between land use and surface water quality. *Journal of Environmental Management, 66*(4), 377-393.

Toriman, M. E., Karim, O. A., Mokhtar, M., Gazim, M. B., & Abdullah, M. P. (2010). Use of InfoWork RS in modeling the impact of urbanisation on sediment yield in Cameron Highlands Malaysia. *Nat Sci, 201*(8).

Toy, T., & Osterkamp, W. (1995). The applicability of RUSLE to geomorphic studies. *Journal of Soil and Water Conservation, 50*(5), 498-503.

Tu, J. (2013). Spatial variations in the relationships between land use and water quality across an urbanization gradient in the watersheds of northern Georgia, USA. *Environmental Management, 51*(1), 1-17.

Turner, B., & Meyer, W. B. (1991). Land use and land cover in global environmental change: considerations for study. *International Social Science Journal, 43*(130), 669-679.

UM, & TNRB. (2001). University Malaya and TNB Research, Final Report: The Development of Hydroelectric Catchment Management Information System for Cameron Highlands-Badang Padang Scheme, University Malaya, Malaysia.

UNDP, E. P. (1997). A Guide to Participation, Guide Book on Participation: Oxford.

UNDP, H. (2003). Arab Human Development Report: Building a Knowledge Society. *New York, USA: UNDP*.

USGS. (2015). Water Properties: pH. In The USGS Water Science School . Retrieved from http://ga.water.usgs.gov/edu/ph.html.

Van der Ent, A., & Termeer, C. (2005). Study on river water quality of the Upper Bertam catchment. *Saxion University, Deventer, Institute of Spatial Planning and Environmental Science*.

Varol, M. (2013). Temporal and spatial dynamics of nitrogen and phosphorus in surface water and sediments of a transboundary river located in the semi-arid region of Turkey. *Catena, 100*, 1-9.

Varol, M., Gökot, B., Bekleyen, A., & Şen, B. (2012). Spatial and temporal variations in surface water quality of the dam reservoirs in the Tigris River basin, Turkey. *Catena, 92*, 11-21.

Vega, M., Pardo, R., Barrado, E., & Debán, L. (1998). Assessment of seasonal and polluting effects on the quality of river water by exploratory data analysis. *Water Research, 32*(12), 3581-3592.

Vieira, J. S., Pires, J. C., Martins, F. G., Vilar, V. J., Boaventura, R. A., & Botelho, C. M. (2012). Surface water quality assessment of Lis river using multivariate statistical methods. *Water, Air, & Soil Pollution, 223*(9), 5549-5561.

Von Sperling, M. (2017). *Basic principles of wastewater treatment*: IWA publishing.

Wadduwage, S., Millington, A., Crossman, N. D., & Sandhu, H. (2017). Agricultural Land Fragmentation at Urban Fringes: An Application of Urban-To-Rural Gradient Analysis in Adelaide. *Land, 6*(2), 28.

Wang, X., Cai, Q., Ye, L., & Qu, X. (2012). Evaluation of spatial and temporal variation in stream water quality by multivariate statistical techniques: A case study of the Xiangxi River basin, China. *Quaternary international, 282*, 137-144.

Wang, Y.-B., Liu, C.-W., Liao, P.-Y., & Lee, J.-J. (2014). Spatial pattern assessment of river water quality: implications of reducing the number of monitoring stations and chemical parameters. *Environmental Monitoring and Assessment, 186*(3), 1781-1792.

Wang, Y., Wang, P., Bai, Y., Tian, Z., Li, J., Shao, X., . . . Li, B.-L. (2013). Assessment of surface water quality via multivariate statistical techniques: a case study of the Songhua River Harbin region, China. *Journal of hydro-environment research, 7*(1), 30-40.

Ward, R. C., Loftis, J. C., & McBride, G. B. (1990). Design of Water Quality Monitoring Systems. 1-256.

Weng, T. K., & Mokhtar, M. B. (2013). LOCAL PERCEPTION ON JOINT MANAGEMENT TOWARDS INTEGRATED WATER RESOURCES MANAGEMENT IN CHINI LAKE, MALAYSIA. *Journal of Environmental Research and Development, 8*(2), 346.

Wheater, H., Jakeman, A., & Beven, K. (1993). Progress and directions in rainfall-runoff modelling.

WHO. (2011). Guidelines for drinking-water quality, Edition, Fourth. *WHO chronicle, 38*(4), 104-108.

Wilbers, G.-J., Becker, M., Sebesvari, Z., & Renaud, F. G. (2014). Spatial and temporal variability of surface water pollution in the Mekong Delta, Vietnam. *Science of the Total Environment, 485*, 653-665.

Wilkins, P. M., Cao, Y., Heske, E. J., & Levengood, J. M. (2015). Influence of a forest preserve on aquatic macroinvertebrates, habitat quality, and water quality in an urban stream. *Urban Ecosystems, 18*(3), 989-1006. doi:10.1007/s11252-015-0464-6

Williams, J. (1975). Sediment routing for agricultural watersheds. *JAWRA Journal of the American Water Resources Association, 11*(5), 965-974.

Williams, J., & Berndt, H. (1977). Sediment yield prediction based on watershed hydrology. *Transactions of the ASAE, 20*(6), 1100-1104.

Williamson, D., Majule, A., Delalande, M., Mwakisunga, B., Mathé, P.-E., Gwambene, B., & Bergonzini, L. (2014). A potential feedback between landuse and climate in the Rungwe tropical highland stresses a critical environmental research challenge. *Current opinion in environmental sustainability, 6*, 116-122.

Wilson, C. O. (2015). Land use/land cover water quality nexus: quantifying anthropogenic influences on surface water quality. *Environmental Monitoring and Assessment, 187*(7), 424.

Wilson, C. O., & Weng, Q. (2011). Simulating the impacts of future land use and climate changes on surface water quality in the Des Plaines River watershed, Chicago Metropolitan Statistical Area, Illinois. *Science of the Total Environment, 409*(20), 4387-4405.

Wilson, P. C. (2010). Water quality notes: water clarity (turbidity, suspended solids, and color). *University of Florida*.

Wischmeier, W. H., & Smith, D. D. (1978). Predicting rainfall erosion losses-a guide to conservation planning. *Predicting rainfall erosion losses-a guide to conservation planning.*

Wu, M.-L., Wang, Y.-S., Sun, C.-C., Wang, H., Dong, J.-D., & Han, S.-H. (2009). Identification of anthropogenic effects and seasonality on water quality in Daya Bay, South China Sea. *Journal of Environmental Management, 90*(10), 3082-3090.

Wu, Y., & Chen, J. (2013). Investigating the effects of point source and nonpoint source pollution on the water quality of the East River (Dongjiang) in South China. *Ecological Indicators, 32*, 294-304.

WWAP, U. (2012). World Water Assessment Programme: The United Nations World Water Development Report 4: Managing Water under Uncertainty and Risk: Paris: UNESCO.

Wyman, M. S., & Stein, T. V. (2010). Modeling social and land-use/land-cover change data to assess drivers of smallholder deforestation in Belize. *Applied Geography, 30*(3), 329-342.

Xu, X. (2013). Environmental Quality Assessment of Tibet Based on 3S. *Progress in Environmental Protection and Processing of Resource, Pts 1-4, 295-298*, 692-695. doi:10.4028/www.scientific.net/AMM.295-298.692

Xu, Y., Xie, R., Wang, Y., & Sha, J. (2015). Spatio-temporal variations of water quality in Yuqiao Reservoir Basin, North China. *Frontiers of Environmental Science & Engineering, 9*(4), 649-664.

Xue, C.-h., Yin, H.-l., & Ming, X. (2015). Development of integrated catchment and water quality model for urban rivers. *Journal of Hydrodynamics, Ser. B, 27*(4), 593-603.

Yao, H. (2013). Characterizing landuse changes in 1990–2010 in the coastal zone of Nantong, Jiangsu Province, China. *Ocean & coastal management, 71*, 108-115

Ye, L., Cai, Q.-h., Liu, R.-q., & Cao, M. (2009). The influence of topography and land use on water quality of Xiangxi River in Three Gorges Reservoir region. *Environmental Geology, 58*(5), 937-942.

Yu, S., Xu, Z., Wu, W., & Zuo, D. (2016). Effect of land use types on stream water quality under seasonal variation and topographic characteristics in the Wei River basin, China. *Ecological Indicators, 60*, 202-212.

Yvon-Durocher, G., Jones, J. I., Trimmer, M., Woodward, G., & Montoya, J. M. (2010). Warming alters the metabolic balance of ecosystems. *Philosophical Transactions of the Royal Society of London B: Biological Sciences, 365*(1549), 2117-2126.

Zaiha, A. N., Ismid, M. M., & Azri, M. S. (2015). Effects of logging activities on ecological water quality indicators in the Berasau River, Johor, Malaysia. *Environmental Monitoring and Assessment, 187*(8), 493.

Zaini, H., Che, Y. A., Ahmad, S., & Ab Khalik, W. (2014). Quantifying Soil Erosion and Deposition Rates in Tea Plantation Area, Cameron Highlands, Malaysia Using 137 Cs. *Malaysian Journal of Analytical Sciences, 18*(1), 94-106.

Zainudin, Z. (2010). Benchmarking river water quality in Malaysia. *Jurutera*, 12-15.

Zamani, M., Sadoddin, A., & Garizi, A. Z. (2012). Assessing land-cover/land-use change and its impacts on surface water quality in the Ziarat Catchment, Golestan Province-Iran.

Zampella, R. A., Procopio, N. A., Lathrop, R. G., & Dow, C. L. (2007). Relationship of Land-Use/Land-Cover Patterns and Surface-Water Quality in The Mullica River Basin. *JAWRA Journal of the American Water Resources Association, 43*(3), 594-604.

Zerga, B. (2015). Ecosystem Degradation Nexus in Ethiopia *Journal of Advances in Agricultural Science and Technology, Vol 3 (5)*, pp, 66-76

Zhang, Q.-L., Chen, Y.-X., Jilani, G., Shamsi, I. H., & Yu, Q.-G. (2010a). Model AVSWAT apropos of simulating non-point source pollution in Taihu lake basin. *Journal of hazardous materials, 174*(1), 824-830.

Zhang, X., Wang, Q., Liu, Y., Wu, J., & Yu, M. (2011). Application of multivariate statistical techniques in the assessment of water quality in the Southwest New Territories and Kowloon, Hong Kong. *Environmental Monitoring and Assessment, 173*(1), 17-27.

Zhang, X., Wenhong, C., Qingchao, G., & Sihong, W. (2010b). Effects of landuse change on surface runoff and sediment yield at different watershed scales on the Loess Plateau. *International Journal of Sediment Research, 25*(3), 283-293.

Zhang, X., Wu, Y., & Gu, B. (2015). Urban rivers as hotspots of regional nitrogen pollution. *Environmental Pollution, 205*, 139-144.

Zhang, Y., Wang, Y., Wang, Y., & Xi, H. (2009). Investigating the impacts of landuse-landcover (LULC) change in the pearl river delta region on water quality in the pearl river estuary and Hong Kong's coast. *Remote Sensing, 1*(4), 1055-1064.

Zhao, J., Fu, G., Lei, K., & Li, Y. (2011). Multivariate analysis of surface water quality in the Three Gorges area of China and implications for water management. *Journal of Environmental Sciences, 23*(9), 1460-1471.

Zhao, R., Chen, Y., Shi, P., Zhang, L., Pan, J., & Zhao, H. (2013a). Land use and land cover change and driving mechanism in the arid inland river basin: a case study of Tarim River, Xinjiang, China. *Environmental Earth Sciences, 68*(2), 591-604.

Zhao, R. F., Chen, Y. N., Shi, P. J., Zhang, L. H., Pan, J. H., & Zhao, H. L. (2013b). Land use and land cover change and driving mechanism in the arid inland river basin: a case study of Tarim River, Xinjiang, China. *Environmental Earth Sciences, 68*(2), 591-604. doi:10.1007/s12665-012-1763-3

Zhou, T., Wu, J., & Peng, S. (2012). Assessing the effects of landscape pattern on river water quality at multiple scales: a case study of the Dongjiang River watershed, China. *Ecological Indicators, 23*, 166-175.

Zhou, Z., & Li, J. (2015). The correlation analysis on the landscape pattern index and hydrological processes in the Yanhe watershed, China. *Journal of Hydrology, 524*, 417-426.